

L Number	Hits	Search Text	DB	Time stamp
-	298	(pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:16
-	66	((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:10
-	121	((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
-	29	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:51
-	9	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:20
-	16	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) not ((((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$) and ((pack\$4 or unpack\$4) near5 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:20
-	146	((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:54
-	113	((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:54
-	121	((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
-	43	(((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:56

-	43	(((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4)) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 11:32
-	3	Merk.in. and serializ\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:33
-	3	6292933.URPN.	USPAT	2003/10/17 14:26
-	2	JDOM and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:56
-	67	"distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:36
-	28	(pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:42
-	24	((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212) ) and (tagged near3 (object or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:44
-	29	ORB and (tagged near3 (object or data)) and (encapsulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:45
-	5	(ORB and (tagged near3 (object or data)) and (encapsulat\$4)) not ((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:45
-	86	moniker and encapsulat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:50
-	19	(moniker and encapsulat\$4) and (( object) same (tag\$4)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:07
-	18	(stub ) and (tagged near3 (id or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:08
-	76	(stub ) and (marshall\$4 same unmarshall\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10
-	159	(stub ) and (marshals\$4 same unmarshals\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10

-	12	(moniker and encapsulat\$4) and ((stub ) and (marshal\$4 same unmarshal\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10
-	77	(pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:11
-	55	((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:07
-	298	((complex and simple) or list) adj2 object) and (tag\$4 near4 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	276	((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	13	((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.) and (((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	75	5907704.URPN.	USPAT	2003/10/20 15:06
-	6	("5287447"   "5423041"   "5487141"   "5493680"   "5499333"   "5680619").PN.	USPAT	2003/10/20 09:39
-	5	("5287447"   "5423041"   "5493680"   "5499333"   "5499371").PN.	USPAT	2003/10/20 09:42
-	13	("5519867"   "5692180"   "5907704"   "5915253"   "5951649"   "5995753"   "6032151"   "6041347"   "6052528"   "6173289"   "6249820"   "6278995"   "6321259").PN.	USPAT	2003/10/20 09:55
-	75	5907704.URPN.	USPAT	2003/10/20 15:06
-	701	((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:07
-	3	5907704.URPN. and ((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:22
-	168	(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	695	(tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:28
-	69	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:45

-	34	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:34
-	12	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:28
-	37	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:33
-	8	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40
-	29	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not (((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40
-	169	(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	84	(Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:58
-	45	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:58

-	22	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:42
-	2	6226692.URPN.	USPAT	2003/10/21 10:08
-	5	("5295242"   "5481715"   "5692183"   "5751962"   "5848419").PN.	USPAT	2003/10/21 10:10
-	1	(transmi\$6 near4 ((packed or compacted or zipped or packaged) adj2 (container or object or bundle))) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:42
-	23	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:14
-	36	((architecture or platform) near2 independent) near2 (container or package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:57
-	1	((architecture or platform) near2 independent) near2 (container or package)) ) and API and (header and (transmitted or transmission or sent or received))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:57
-	1	((architecture or platform) near2 independent) near2 (container or package)) ) and (tag\$3 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:58
-	3	((architecture or platform) near2 independent) near2 (container or package)) ) and (header and (transmitted or transmission or sent or received)) or (((architecture or platform) near2 independent) near2 (container or package)) ) and (tag\$3 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:08
-	2756	Brown.in. and container	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:12
-	12	(Brown.in. and container) and ((platform or architecture) near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	3	((Brown.in. and container) and ((platform or architecture) near2 independent)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56

-	2	(((((architecture or platform) near2 independent) near2 (container or package)) ) and (header and (transmitted or transmission or sent or received))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:59
-	756	(packaging near3 (object or class)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:55
-	614	((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	4	((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212) ) and ((platform or architecture) near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	1012	( (pack\$6 near5 (object or class or content or media)).ab. and distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:10
-	4	( ( (pack\$6 near5 (object or class or content or media)).ab. and distribution)) and (object near3 type) and (pack\$4 and unpack\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:12
-	4	(transmission near3 ((Java or beans or media) near2 package)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:14
-	23	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:33
-	1	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212) ) and "fixed format".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:18

-	1	(((((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212) ) and "piecemeal".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:20
-	1	Merk.in. and package and transmission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:50
-	23	(((((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:18
-	2	((US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6253256-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$).did. or (US-20010020243-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020065872-\$ or US-20030005411-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and (language near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:11
-	8	(" ntohs" or " hton") and "C language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:56
-	4	(" ntohs" or " hton") and "Java"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:20
-	3883	(707/3,103R).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:23

-	1137	(709/316,231).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:23
-	903	(717/100-108).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:24
-	947	((717/114-116) or (717/174-178)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:24
-	2743	(( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:27
-	18	(( ( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:21
-	7	(( ( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (encapsulat\$5 near9 (size or type or identifier or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:20
-	49	(moniker and (object same header)) or (Gish.in. and message and package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:21
-	11	((moniker and (object same header)) or (Gish.in. and message and package)) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:30
-	10	(( (moniker and (object same header)) or (Gish.in. and message and package)) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (encapsulat\$4 same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:27
-	9	(( (moniker and (object same header)) or (Gish.in. and message and package)) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (encapsulat\$4 same object)) and ( neutral or universal or ((architecture or language) near2 independent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:27
-	37	((moniker and (object same header)) or (Gish.in. and message and package)) and (encapsulat\$4 same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:27
-	35	(( (moniker and (object same header)) or (Gish.in. and message and package)) and (encapsulat\$4 same object)) and ( neutral or universal or ((architecture or language) near2 independent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:27



-	35	(( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (((moniker and (object same header)) or (Gish.in. and message and package)) and (encapsulat\$4 same object)) and ( neutral or universal or ((architecture or language) near2 independent)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:35
-	1	(((moniker and (object same header)) or (Gish.in. and message and package)) and (encapsulat\$4 same object)) and ( neutral or universal or ((architecture or language) near2 independent))) and ((( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:28
-	8	moniker and encapsulat\$5 and (package same distribut\$5) and ( (language or architecture) near2 (independent or neutral)) and (object same (id or identif\$5 or size or length or type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:33
-	8	(moniker and encapsulat\$5 and (package same distribut\$5) and ( (language or architecture) near2 (independent or neutral)) and (object same (id or identif\$5 or size or length or type))) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:38
-	8	((moniker and encapsulat\$5 and (package same distribut\$5) and ( (language or architecture) near2 (independent or neutral)) and (object same (id or identif\$5 or size or length or type))) and (@ad<=20001212 or @rlad<=20001212)) and (COM or DCOM or ORB or JCOM or Corba)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:32
-	15	((( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or JCOM or Corba)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:32
-	10	(((( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or JCOM or Corba)) and ( (language or architecture) near2 (independent or neutral))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:36
-	10	(( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and ((((( package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same ( neutral or universal or ((architecture or language) near2 independent) ))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or JCOM or Corba)) and ( (language or architecture) near2 (independent or neutral)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:35
-	217	(ORB or COM or DCOM) and ( (language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:38

-	132	((ORB or COM or DCOM) and ( (language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:39
-	69	((((ORB or COM or DCOM) and ( (language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy or save) same memory) and load\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:49
-	25	(((((ORB or COM or DCOM) and ( (language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy or save) same memory) and load\$4)) not (Accenture.as. or Microsoft.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:53
-	4	(((((ORB or COM or DCOM) and ( (language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy or save) same memory) and load\$4)) not (Accenture.as. or Microsoft.as.) and (package same encapsulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:53
-	6053	(ORB or COM or DCOM or (object near8 broker)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:17
-	49	((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 or (pack\$5 or unpack\$5)) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:24
-	4	((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 same (packag\$3 or (tagged adj2 data))) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:39
-	41	((ORB or COM or DCOM or (object near8 broker)).ab.) and ( (architecture or platform or language) near6 (independent or free or neutral or multi)) same (object or data) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:33
-	15	((((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 or (pack\$5 or unpack\$5)) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (((ORB or COM or DCOM or (object near8 broker)).ab.) and ( (architecture or platform or language) near6 (independent or free or neutral or multi)) same (object or data) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:33
-	19	( ( (architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:38

-	15	(( (architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) ) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:12
-	104	((ORB or COM or DCOM or (object near8 broker)).ab.) and ((CORBA or COM or DCOM or ORB) same (container or package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:12
-	22	((ORB or COM or DCOM or (object near8 broker)).ab.) and ((CORBA or COM or DCOM or ORB) same (container or package))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) and (encapsulat\$4 or tagged)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:27
-	76	((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:27
-	46	((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:02
-	58	(XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:49
-	1	((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:35
-	26	(XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) and (class or bean)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:55
-	16	((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) and (class or bean)) and ((markup or XML or tag) same package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:59
-	14	((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:00
-	23	((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:02
-	12	((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:18

-	70	((( (architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) )) or ((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) or (((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) ) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML) or (((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.)) and ((XML or tag\$3 or markup) near8 (archive or package or container or WAR or JAR or WAF))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:08
-	46	(US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/21 11:08

-	65	(((( ((architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) )) or ((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) or (((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) ) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML) or (((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.)) and ((XML or tag\$3 or markup) near8 (archive or package or container or WAR or JAR or WAF))) not ((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:09
---	----	--	---	---------------------

-	5	((( (architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) )) or ((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) or (((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) ) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML) or (((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.)) and ((XML or tag\$3 or markup) near8 (archive or package or container or WAR or JAR or WAF))) and ((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:17
-	7	(WAR and (markup or extension or XML)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:20
-	5	((WAR and (markup or extension or XML)).clm.) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:23
-	4	(WAR and (markup or tagged or XML)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:20

-	4	(((( (architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)) )) or ((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) or (((XML or markup) and (((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212) ) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML) or (((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web)) ).ab.)) and ((XML or tag\$3 or markup) near8 (archive or package or container or WAR or JAR or WAF))) and ((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:23
-	5	6286051.URPN.	USPAT	2004/04/21 11:25
-	47	(US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$ or US-20030154266-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/21 13:17

-	1	((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$ or US-20030154266-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and EJ	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:18
-	6	((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$ or US-20030154266-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and (EJB and JAR and HTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:19



-	2	((US-6269373-\$ or US-6253256-\$ or US-6629123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$ or US-6640255-\$ or US-6718364-\$).did. or (US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or US-20020073396-\$ or US-20020056012-\$ or US-20020046294-\$ or US-20010020243-\$ or US-20020065872-\$ or US-20030005411-\$ or US-20020147735-\$ or US-20030105888-\$ or US-20030172135-\$ or US-20030018694-\$ or US-20030154266-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 17:22
---	---	--	---	---------------------